

Remarks

Drawing Objection

The Examiner objected to the drawings under 37 CFR 1.83(a), as the drawing must show every feature of the invention specified in the claims. The “window being perforated” (claim 5) must be shown.

Accordingly, Applicants submit the attached replacement sheet, including amended FIG. 2a, show the window being perforated. The submitted drawing is in compliance with 37 CFR 1.21(d). No new matter has been added.

Accordingly, Applicants respectfully request reconsideration and withdrawal of the objection to the drawings.

Priority Claims

The Examiner indicated on the Office Action Summary that none of the Certified Copies of the priority documents have been received.

Applicants have requested a Certified Copy of the priority document and will provide to the Examiner upon receipt.


Conclusion

In light of the foregoing remarks, this application is now in condition for allowance and early passage of this case to issue is respectfully requested. If any questions remain regarding this amendment or the application in general, a telephone call to the undersigned would be appreciated since this should expedite the prosecution of the application for all concerned.

Applicant: Bareis et al.
Application No.: 10/706,310
Examiner: J. Pascua

No fee is believed to be due. However, please charge any required fee (or credit any overpayments of fees) to the Deposit Account of the undersigned, Account No. 500601 (Docket No. 7390-X02-021).

Respectfully submitted,


PAUL D. BIANCO REG # 43,500
FOL Martin Fleit, Reg. # 16,900

Customer Number: 27317

Martin Fleit

FLEIT KAIN GIBBONS GUTMAN BONGINI & BIANCO, P.L.

601 Brickell Key Drive, Suite 404

Miami, Florida 33131

Tel: 305-416-4490; Fax: 305-416-4489

e-mail: mfleit@focusonip.com